

Region	Box No / PO	PO Branch Name	Address	Postcode of Box / Counter	Reason (e.g.. Box destroyed in RTA)	Exception Category	Start Date of Exception	Expected Resolution date	Action Taken / To be taken to bring Box / PO back to 6 days service)
Anglia	CB11 65		Lower Pond St, Duddenhoe End	CB 11 4UP	Lock broken - Box located on old telegraph pole and requires re-locating	Temporary Difficulty of Access	05 May 2010	Mar 2012 (estimate)	New location for box being surveyed. Nov 2010; Alternative location and permissions still being sought. March 2011; new site still not finalised several locations are being considered - ongoing. Nov 2011 - this situation is ongoing, new manager currently seeking further alternative site for relocation.
Anglia	CB6 141		The Gault	CB6 1RU	Box in wall - Wall demolished as unsafe	Temporary Difficulty of Access	01 June 2010	Mar 2012 (estimate)	New location for box being surveyed. Nov 2010; Alternative location and permissions still being sought. March 2011; expect to be able to request site scan shortly and then request installation of replacement box. July 2011 - scans complete lamp pedestal box to be installed Nov 2011 - this situation is ongoing, new manager currently seeking further alternative site for relocation.
Anglia	103		Mountergate Street	NR1 1PH	Structural Damage to Wall	Temporary Difficulty of Access	04 December 2009	Unknown	Box in old wall, supported by scaffolding, property unsafe and access denied ,box will remain sealed until safe to remove it. Nov 2011; Ongoing liaising with local council to locate owner of property.
Anglia	NR2 218		Denbigh Road	NR2 3AA	The owner of the land requested a temporary removal and it is under consideration to replace due to the volume of boxes in said area	Temporary Difficulty of Access	Apr-11	Mar 2012 (estimate)	Owner does not want this box resited back on their property. A post box review will be carried out and a decision will be made by next review.
Anglia	Box 166		Abbey Road, Swineshead	PE20 3EN	Box Stolen	Temporary Difficulty of Access	May-11	Mar 2012 (estimate)	Consulting with local council regarding replacement and suitable alternative site. In the meantime notices have been displayed informing the public of the nearest 3 collection points and a decision will be made by next review.

Anglia	Box 088		Mill Bridge, Amber Hill	PE20 3RN	Box Stolen	Temporary Difficulty of Access	Apr-11	Mar 2012 (estimate)	Currently reviewing posting facilities and customer demand by way of a notice. Long term decision to be made by next review.
Anglia	Box 173		Toft Tunnel Brothertoft	PE22 3SJ	Box Stolen	Temporary Difficulty of Access	Nov 2010	Mar 2012 (estimate)	Currently reviewing posting facilities and customer demand by way of a notice. Long term decision to be made by next review.
Anglia	Box 185		Mallard Hurn, Donnington	PE22 7EG	Box Stolen	Temporary Difficulty of Access	May-11	Mar 2012 (estimate)	Currently reviewing posting facilities and customer demand by way of a notice. Long term decision to be made by next review.
Anglia	Box 183		Hale Bridge, Trademill	PE22 7EG	Box stolen	Temporary Difficulty of Access	May-11	Mar 2012 (estimate)	Currently reviewing posting facilities and customer demand by way of a notice. Long term decision to be made by next review.
Anglia	Box 072		Moorside, Mareham Le Fen	PE22 7RX	Box Stolen	Temporary Difficulty of Access	Apr-11	Mar 2012 (estimate)	Currently reviewing posting facilities and customer demand by way of a notice. Long term decision to be made by next review.
Anglia	Box 193		Hurns End Old Leake	PE22 9JN	Box Stolen	Temporary Difficulty of Access	Dec-10	Mar 2012 (estimate)	Currently reviewing posting facilities and customer demand by way of a notice. Long term decision to be made by next review.
London	29		O/S 10 EMMA STREET	E2 9AH	Base of wall box damaged	Temporary Health & Safety	06 September 2006	Unlikely	This box presents a continuing H&S hazard. It is a wall box and therefore cannot readily be removed. The box is sealed and will not reopen, but will remain in situ.
London	EC3 213		MOORGATE (MOOR PL)	EC2M 6SL	Box closed because of major works taking place around the box as part of the Crossrail Project.	Temporary Difficulty of Access	20 June 2011	Unknown	Box has been removed and put in storage. This may take several years before being put back in place. There are 16 boxes within 500m (7 within 250m) so box density, and alternative posting facilities, are not an issue. Currently awaiting reports from Crossrail and City of London authority regarding access to this site and whether the box can be relocated or permanently removed.

London	EC2 214		BLOMFIELD ST BB (LIVERPOOL ST)	EC2M 7AY	Business Box closed because of major works taking place around the box as part of the Crossrail Project. This includes severe restrictions on parking and stopping as well as temporary "No Entry" sign affecting access. (23 Boxes and 2 PO counters within 500m)	Temporary Difficulty of Access	12 October 2011	Unknown	Currently liaising with the Crossrail Team for the earliest possible resolution. Weekly checks on the site to review the access difficulties are taking place. We are awaiting reports from Crossrail and City Of London authority regarding access to this site and whether the box can be relocated or permanently removed
London	EC2 215		BLOMFIELD ST (LIVERPOOL ST)	EC2M 7AY	Post Box closed because of major works taking place around the box as part of the Crossrail Project. This includes severe restrictions on parking and stopping as well as temporary "No Entry" sign affecting access. (23 Boxes and 2 PO counters within 500m)	Temporary Difficulty of Access	12 October 2011	Unknown	Currently liaising with the Crossrail Team for the earliest possible resolution. Weekly checks on the site to review the access difficulties are taking place. We are awaiting reports from Crossrail and City Of London authority regarding access to this site and whether the box can be relocated or permanently removed
London	SE1 39		Southwark Bridge Road	SE1 9HH	Pavement and roadworks	Temporary Difficulty of Access	25 October 2011	March 2012 (estimate)	Re-open when works complete
London	SE1 49		Southwark Bridge Road	SE1 9HH	Pavement and roadworks	Temporary Difficulty of Access	25 October 2011	March 2012 (estimate)	Box will re-open when works complete
London	SE10 28		King William Walk	SE10 9JF	Box behind hoardings of building site	Temporary Difficulty of Access	14 October 2010	Unknown	Box is behind hoardings of new building which will be inaccessible until early 2012. Will reopen once work is complete
London	SE15 62		Bournemouth Road	SE15 4UJ	Scaffolding surrounding box	Temporary Difficulty of Access	24 June 2010	Unknown	Major regeneration works. Box will return to service when work is complete. Nov 2011; ongoing
London	SE25 4		Penge Road	SE25 4EJ	Missing Door	Temporary Difficulty of Access	05 August 2011	March 2012 (estimate)	Door is missing. Contractors currently sourcing replacement.

London	SE26 1		58 Bell Green	SE26 4PZ	Area regeneration	Temporary Difficulty of Access	01 March 2011	2013	Long term regeneration of area, box removed from building site - works likeley to be ongoing until 2013
London	SE5 53		Vestry Roads	SE5 8NX	Door broken beyond repair	Temporary Difficulty of Access	01 March 2011	Unknown	Door is broken and a replacement cannot be found. Box is a VR so listed and cannot be replaced due to historical reasons, contractors attempting to source a replacement.
London	SW7 33		25 Princes Gate	SW7 1PT	Box hit for third time by RTA, door broken, Looking to move box for safety reasons	Temporary Difficulty of Access	08 June 2011	Unknown	Currently progressing authority to relocate. Nov 2011; local authority have raised objection to proposed location - ongoing.
London	W1 81		TENTERDON STREET/HAN OVER SQUARE	W1S 1HU	Box closed because of major works taking place around the box as part of the Crossrail Project.	Temporary Difficulty of Access	12 May 2010	Unknown	Currently liaising with the Crossrail Team for the earliest possible resolution. Weekly checks on the site to review the access difficulties are taking place. We are awaiting reports from Crossrail and City of London authority regarding access to this site and whether the box can be relocated or permanently removed.
London	W4 62		CHISWICK HIGH ROAD/THORN EY HEDGE ROAD	W4 5SB	Major reconstruction of the building outside which the box stands. It is covered by scaffolding and there is no access to open the door until the scaffolding is removed.	Temporary Difficulty of Access	14 March 2011	est Summer 2012	Will reopen box as soon as work is complete. Nov 2011; currently we expect completion summer 2012.
London	WC2 51		CHARING X ROAD (GOSLETT YD)	WC2A 0EA	Box closed because of major works taking place around the box as part of the Crossrail Project.	Temporary Difficulty of Access	16 February 2010	Unknown	Currently liaising with the Crossrail Team for the earliest possible resolution. Weekly checks on the site to review the access difficulties are taking place. We are awaiting reports from Crossrail and City of London authority regarding access to this site and whether the box can be relocated or permanently removed.

London	WC2 8Z		VILLIERS STREET	WC2N 6NJ	Ongoing gas mains work adjacent to the Business Box, with the pavement slabs removed, means this is unsafe to access. The Pillar Box adjacent to the Business Box, however is open to take mail.	Temporary Difficulty of Access	26 July 2010	Unknown	Will reopen box as soon as work is complete. Nov 2011; ongoing
Midlands	B11 4JX		Sparkhill PO (box), 468 Stratford Road Sparkhill Birmingham B11 4AE	B11 4AE	Box removed from private property as PO has moved location.	Temporary Difficulty of Access	25 November 2009	March 2012 (estimate)	Awaiting utility reports before re-siting existing box at a new location. July 2011; Council have now given permission to resite box. They have requested no work takes place until August due to roadworks in the area. The box will be resited once work is complete. Nov 2011; delay in submitting case papers to contractor - will be removed by next review.
Midlands	B23 330		Erdington Station	B23 6UE	Box located under railway bridge when the pull in close by was removed there was nowhere to park	Temporary Difficulty of Access	30 January 2009	March 2012 (estimate)	Box located in a very narrow road under railway bridge with pedestrian crossings either side of bridge. Box will be removed from service. July 2010 - new site identified awaiting authority to resite along the road away from traffic lights and railway bridge. Nov 2010; there is no suitable place to relocate - this box will be removed. March 2011; ongoing. No suitable site for relocation, box will be removed. There are already 6 boxes within 500m. July 2011; no alternative site found, long term decision to be made by next review following consultation. Nov 2011; issues with case submission - to be removed by next review.

Midlands	B23 221R		Wyrley Birch	B23 7UA	Much of the area has now been demolished. There were attacks on delivery officers and few houses or businesses nearby. March 2010 - Shops have now been demolished and the box stands alone.	Temporary Health & Safety	06 November 2007	March 2012 (estimate)	Following attacks on delivery officers and the demolition of the entire area, the box was to be removed and relocated subject to sign off by the Highways authority, once a suitable site located. No suitable site located, or sign off received, as yet. Nov 2011; delay in submission of case - to be resolved by next review.
Midlands	B78 97		Harlaston Road PO	B78 4LR	Box door / casting damaged	Temporary Difficulty of Access	01 March 2010	March 2012 (estimate)	Casting has broken, Post Office disputed contractors decision that the wallbox couldn't be fixed and this delayed replacement. POL now accept the decision and we expect the new box to arrive in the next few weeks. Nov 2010: new pedestal box to be installed by next review. July 2011; Exception continues. Wall box currently still sealed and will remain sealed in situ. Nov 2011; Pedestal box to be sited nearby, currently waiting for utilities sign off.
Midlands	CV23 115		Woodhouse	CV23 9PU	Box in Wall of Hotel which is being totally demolished (and expected to be rebuilt)	Temporary Difficulty of Access	11 July 2011	Unknown	Box located in wall of Woodhouse Hotel which is being demolished and rebuilt. No other residences are in this secluded area. Nearest ones have their own post box. Nov 2011; ongoing - work to rebuild hotel has not started.
Midlands	DY8-21		Corbett Crescent	DY8 4JU	Telegraph pole removed unable to refit box to pole	Temporary Difficulty of Access	20 July 2011	March 2012 (estimate)	Currently trying to locate and agree new location.
Midlands	HR 3 30		Kinnersley Station	HR3 6QA	Very dangerous Box in wall on Hump back bridge	Temporary Health & Safety	01 March 2011	Unlikely	This is a wall box sited in an 'old' wall. It is still in the wall but out of service, a pedestal box is already situated very near by. THIS BOX WILL NOT REOPEN BUT WILL REMAIN IN SITU.

Midlands	MK44 244		Moor Road Little Staughton, North Beds	MK44 2	Box is located in the wall of a building which is falling down and unsafe	Temporary Health & Safety	Feb-11	Unknown	Box was being stored in building; but had been stolen by the time it was safe to retrieve it. Reported to police. Currently liaising with local council to agree new site.
Midlands	210		ABBERLEY HILL	WR6 6SA	Risk to collection staff as box is positioned in a wall on a very dangerous bend	Temporary Health & Safety	10 May 2007	Unlikely	This is a wall box sited in an 'old' wall. It is still in the wall but out of service, a pedestall box is already situated very near by. THIS BOX WILL NOT REOPEN BUT WILL REMAIN IN SITU.
Midlands	WR9 201		HOLT FLEET HILL	WR9 6NW	Risk to collection staff as box is positioned in a wall on a very dangerous bend	Temporary Health & Safety	10 March 2010	Unlikely	This is a wall box sited in an 'old' wall. It is still in the wall but out of service, a pedestall box is already situated very near by. THIS BOX WILL NOT REOPEN BUT WILL REMAIN IN SITU.
North East England	BD1 267		QUEBEC STREET	BD1 2BX	BOX REMOVED DUE TO REDEVELOPMENT OF CITY CENTRE AT REQUEST OF LOCAL COUNCIL	Temporary Difficulty of Access	06 January 2010	March 2012 (estimate)	This is an older style box (ER VII) it will be replaced near to the original site once the redevelopment is complete. Nov 2011; development work is ongoing- box will return to service once complete.
North East England	BD6 128		HENDERSON PLACE, WIBSEY BANK	BD6 1PQ	HEALTH AND SAFETY DUE TO LOCATION ON A BAD BEND, NO SAFE PARKING, YELLOW LINES.	Temporary Health & Safety	21 May 2010	Unlikely	There is no suitable site to relocate this box. As it is Victorian and of historical interest it will be welded shut, and painted black. This has been agreed with the conservation office at council. This box will remain sealed and in situ.
North East England	DN20-111		Bridge St Brigg	DN20 8NL	Box in pub wall. Pub was demolished, awaiting developer to come to us with details of a new site	Temporary Difficulty of Access	01/10/2010	est Jan 2012	Redevelopment still continues- unable to site box at agreed location as work still ongoing, awaiting confirmation from developer expected to pass work for installation to contractor in January 2012. No complaints received to date. Nov 2011; ongoing.
North East England	HU18 184		NEWBEGIN PO 63 NEWBEGIN (box outside)	HU18 1AA	Closure of Post Office and demolition of building.	Temporary Health & Safety	27 October 2011	March 2012 (estimate)	Due to the location of the box and the imminent demolition of the current post office the box has had to be sealed for health & safety reasons. A job has gone in to contractor to complete the removal of the box. Box will be relocated - currently awaiting responses from utility companies etc in order to resite.

North East England	LS13 856		Victoria Park	LS13 2RD	Box damaged by impact of stones thrown at it. Stones were also thrown at the collection driver. Box has also been found to be contaminated with animal excrement on several occasions.	Temporary Health & Safety	Sept 2011	Unknown	Originally taken out of service 2009. Reopened Sept 2011; issues recurred. Box currently sealed. Hub manager currently scoping feasibility of moving to an earlier collection time to enable us to reopen the box in its current location. Notice displayed informing customers of nearest 3 collection points.
North East England	LS15 146		Kiddal Lane	LS15 4NF	Box stolen, and damaged in RTA. Replacement sited nearby however local authority have since raised concerns with the site. Hub manager currently seeking resolution.	Temporary Difficulty of Access	est June 2011	Unknown	New box installed across the road from original site. Nov 2011; Local authority have since raised concerns with the new site. Hub manager currently seeking resolution.
North East England	LS16 263		Cookridge Hospital	LS16 6QB	Cookridge Hospital now closed and will be demolished to make way for a new development. Access road locked for security reasons until further notice.	Temporary Difficulty of Access	05-Mar-08	Unknown	Box is classed as a grade 1 listed building, it will remain and will be incorporated in the future development as instructed by local council. Will not reopen until building work complete. Building work has been put on hold; box will be resited when work complete. Nov 2011; ongoing.
North East England	S33 659		Ollerbrook	S33 1WZ	Telegraph pole to which the box was attached has been removed	Temporary Difficulty of Access	24 June 2011	est start Dec 2011	Job to resite a pedestal box now with contractor
North East England	WF11 144		Knottingley Town Hall Ropewalk / Chapel Way	WF11 8BG	Box Demolished	Temporary Difficulty of Access	07 November 2011	Unlikely	The box was not safely positioned and volumes were very low. There are alternative boxes within the area and therefore this box will likely not be replaced. Notice displayed and monitor of feedback in place; to date no complaints. Long term decision to be made by next review.

North East England	YO14 123		QUEEN STREET	YO14 9UB	Building redevelopment affecting access to box.	Temporary Difficulty of Access	28 May 2010	Unknown	Waiting completion of works - box will reopen once work complete.
North East England	DN9 137		Bracken Belton	DN9 1LT	Box Stolen	Temporary Difficulty of Access	25/01/2011	Dec-11	New box requested. Delay in submitting case papers for instalation; currently awaiting confirmation of instalation date. Omitted from previous return in error.
North West England	36		Merton Street, Burnley,	BB12 0DG	Wall box in unoccupied property sealed by contractor due to continous vandalism	Temporary Difficulty of Access	29 April 2009	Unknown	Box is located on private property and is vandalised. The owner of the property refuses to allow us to remove this box.
North West England	7		Cheapside, 702 Padiham Road, Burnley	BB12 6LG	Wall box in private property sealed for H & S reasons. Unable to access and empty safely	Temporary Health & Safety	13 April 2010	Unknown	Box is located on private property.The owner of the property refuses to allow us to remove this box.
North West England	BL2 36		Spring Row	BL2 6QB	Wall box destroyed due to vandalism	Temporary Difficulty of Access	June 2009	Unknown	Process began to replace box at new site. We are awaiting consent from Highways Authority. Issues identified with new site so process to recommenced. Nov 2011; ongoing. Still seeking new location.
North West England	147		Lever Street / High Street, Bolton	BL3 6PL	Major roadworks; road is closed from both ends	Temporary Difficulty of Access	1st June 2011	Unknown	Box will reopen when road works are complete.
North West England	POC272410	Warcop	Appleby, Cumbria	CA16 6PL	Office closed - staffing issues.	Temporary Difficulty of Access	17 April 2010	Unknown	Update from POL 1st Aug 2011; 'long term temporary closed'
North West England	POC278410	Calderbridge	Calderbridge, Seascale, Cumbria	CA20 1DN	Office closed - staffing issues.	Temporary Difficulty of Access	01 December 2009	Unknown	Update from POL 1st Aug 2011; 'long term temporary closed'
North West England	POC282410	Ennerdale Bridge	Ennerdale, Cleator, Cumbria	CA23 3AR	Office closed - staffing issues.	Temporary Difficulty of Access	13 February 2009	Unknown	Update from POL 1st Aug 2011; 'long term temporary closed'
North West England	139		Abercromby square	L7 7JF	Road Closure	Temporary Difficulty of Access	09 November 2007	Unlikely	Road is permanently closed and has become part of the University complex which has prevented access. This box is a heritage box and it has been permanently removed from service but remains in situ due to its historic and local interest. THIS BOX WILL NOT REOPEN BUT WILL REMAIN IN SITU.

North West England	308		Sandon Street	L8 7LD	Box sealed due to road works	Temporary Difficulty of Access	28 October 2011	Unknown	Box will reopen when road work is complete
North West England	1		Whitworth St opp Samuel Ogden Street	M1 3NZ	Business Box , taken out due to building work	Temporary Difficulty of Access	08 June 2010	Unknown	Building work underway box will reopen once complete.
North West England	592		ECCLESHALL ST	M11 4SQ	metrolink building route	Temporary Difficulty of Access	25 February 2010	Unknown	Building work still ongoing, box will be reopened when work is complete.
North West England	90		Cambridge Arcade, Southport	PR8 1AS	Wall box in listed building sealed due to redevelopment in the area	Temporary Difficulty of Access	06 August 2010	Unknown	We are monitoring the development taking place, box will reopen once work complete.
North West England	WA2 45		Winwick Street	WA2 7TT	Box removed for reburbishment of central train station. The box will be put back on completion of works.	Temporary Difficulty of Access	01 August 2010	Unknown	Site closed off to public at present. Box is stored at DO until new facier fitted. March 2011; ongoing box will return to service when work complete
Scotland	EH2-156		South St. Andrews Street	EH2 2AZ	This box has been sealed. Due to the extensive tram works. Edinburgh has re-routed the City Centre traffic and there is no safe stopping zone.	Temporary Difficulty of Access	01/11/2011	Unknown	Unsure as the Tram works completion date is always changing
Scotland	EH2-66		George Street	EH2 2PF	This box has been sealed. Due to the extensive tram works. Edinburgh has re-routed the City Centre traffic and there is no safe stopping zone.	Temporary Difficulty of Access	01/11/2011	Unknown	Unsure as the Tram works completion date is always changing

Scotland	KY1-23		St Claire Street	KY1 2AR	Box constantly set on fire and used to deposit used hypodermic needles	Temporary Health & Safety	21/11/2011	Unknown	Box sealed, notice displayed informing customers of our intention to remove; long term decision to be made by next review.
Scotland	KY7-100		Iona Park	KY7 6NU	Box constantly set on fire	Temporary Health & Safety	21/11/2011	Unknown	Box sealed, notice displayed informing customers of our intention to remove; long term decision to be made by next review.
South East England	Box 754		Royal Parade	BN22 7AN	Box knocked over by coach	Temporary Difficulty of Access	24-Mar-11	Unknown	Alternative locations reviewed to reinstate - still reviewing possible alternatives. Notice displayed informing customers of our intention to remove, hub manager currently assessing; long term decision to be made by next review.
South East England	202		Elmers End	BR3 202	dangerous position on fast flowing road	Temporary Difficulty of Access	22-Nov-10	Unknown	Alternative locations reviewed to reinstate - still reviewing possible alternatives. Notice displayed informing customers of our intention to remove, hub manager currently assessing; long term decision to be made by next review.
South East England	Box 109		128 Worplesdon Road, Guildford	GU2 9RT	Request from development company to seal box for 3 months while work is carried out on the premises behind.	Temporary Difficulty of Access	25 February 2011	Unknown	Ongoing, box will be reopened when work complete.
South East England	Box 204		Barnsbury PO	GU22 0BH	Box was sealed after collection driver was assaulted whilst collecting from box.	Temporary Health & Safety	29 April 2009	Unknown	Nov 2011; Scoping feasibility of relocating function to third party premises.
South East England	Box 18		Guildford Road	GU22 7QF	Box left sealed on site pending completion of housing development	Temporary Difficulty of Access	16 June 2008	Unknown	The housing development hasn't yet started so the box remains as before sealed pending the commencement of works. Nov 2011; work has not yet commenced

South East England	Box 34		Pear Lake Cottage, Iping, Midhurst	GU29 0PF	This is a lamp box mounted in a Grade 2 listed wall, the wall & box have been damaged by an RTA, repairs to the wall need to be carried out and a new box inserted	Temporary Difficulty of Access	03-Nov-11	Unknown	The householder is pursuing the third party to repair the wall and the replacement of the post box will be linked in to this. The repairs may be carried out by a local builder or by contractor. At present waiting on the decision of the third party to pay costs directly or through insurers.
South East England	POC111923	Wormley SPSO	Petworth Road, Wormley, Godalming	GU8 5SJ	PO Closed - awaiting update from POL	Temporary Difficulty of Access	24 December 2009	Unknown	Update from POL 1st Aug 2011; 'long term temporary closed'
South East England	POC104923	Shackleford SPSO	The Street, Shackleford, Godalming	GU8 6AH	PO Closed - awaiting update from POL	Temporary Difficulty of Access	31 August 2010	Unknown	Update from POL 1st Aug 2011; temp closed subject to staffing.
South East England	Box 7		Station Hill, Farnham	GU9 8AD	This is a VR wall mounted box on the platform side; the door has become warped due to weathering & the box cannot be opened; the door needs to be replaced.	Temporary Difficulty of Access	03-Oct-11	Unknown	Finding a suitable door is proving difficult; one from a redundant box currently is being investigated.
south East England	Box 221		Esher Old Delivery Office, 48 High Street, Esher	KT10 9QZ	The delivery office has relocated; the posting facility in the front of the Caller's Office has been sealed pending the redevelopment of the whole premises.	Temporary Difficulty of Access	01 November 2011	Unknown	It is unlikely the post box facility will reopen when the building is under new ownership
South East England	Box 26		Epsom SC Railway Station, Station Appr, Epsom	KT19 8EU	Station forecourt is being redeveloped & box has been removed for approximately 18 months	Temporary Difficulty of Access	29 July 2010	Unknown	Post box will be replaced at a new site near the station when the redevelopment is completed. Nov 2011; ongoing.
South East England	Box 47		West Park Hospital, Epsom	KT19 8PB	Box left sealed on site pending completion of housing development	Temporary Difficulty of Access	01 October 2003	End 2012 (Best Estimate)	Nov 2011; Development has started, box remains sealed pending the completion of work

South East England	Box 212		Rectory Close, Ashtead	KT21 2AZ	RTA - box is in wall pillar which was substantially damaged by impact; box not damaged but left sealed	Temporary Difficulty of Access	13 December 2010	Unknown	Ownership of wall must be resolved to establish whether pillar will be repaired - local council are involved with enquiry. Nov 2011; nearest householder is liaising with Mole Valley District Council and seeking to get the damaged wall pillar repaired; when this has taken place contractor will ensure that the box unit is secured in its housing
South East England	Box 103		Kingston Road, Montem Road, New Malden	KT3 3PB	The box has been sealed, due to sewerage works	Temporary Difficulty of Access	21 February 2011	Unknown	Box will reopen once work completed. (omitted from previous return in error)
South East England	Box 36		Pendell Road	RH1 4QH	Box is sealed for H&S reasons following risk assessment by local manager - no pavement & fast flowing road.	Temporary Difficulty of Access	15 April 2010	Unlikely	No new safe site can be located. Notice displayed informing customers of nearest 3 alternatives, the box is built into a tall boundary wall and cannot feasibly be removed - it has been sealed and will remain so.
South East England	Box 3		Wakehurst	RH17 6TN	dangerous position on fast flowing road	Temporary Health & Safety	01 December 2010	Unlikely	Reviewing location but identifying alternatives is proving to be difficult. July 2011; no alternative site found. The box is built into boundary wall of Wakehurst Place - it has been sealed. Hub manager liaising with local history group regarding historical value of box, it will remain closed but in situ.
South East England	Box 229		Pembury Hospital, Tunbridge Wells	TN2 4QJ	Building work on private land	Temporary Difficulty of Access	30 June 2008	Unknown	Building work still ongoing. Cannot access box to remove. Therefore it will remain in situ and sealed until work completed. Nov 2011; ongoing
South East England	Box 1112		Heathrow Terminal 3 Departures, HOUNSLOW	TW6 1PN	A security door has been installed leading to the alcove where the box is located. The box needs to be relocated within the site.	Temporary Difficulty of Access	28-Mar-07	Unknown	Box requires a power supply to be installed before it can be relocated. Requests for power supply to be installed have been ignored by site owner. Discussions ongoing but no action to date. Last meeting on site was Sept'09; BAA are reluctant to progress any work - Nov 2011 - this box remains in situ but inaccessible.

South West England	BH8		THROOP POST OFFICE	BH8 0AJ	Removed at landowners request.	Temporary Difficulty of Access	15 November 2011	March 2012 (estimate)	Box permanently removed. Notices be displayed . Long term decision to be made by next review.
South West England	PL11 754		Raleigh 2, HMS Raleigh, Torpoint	PL11 2PD	Building work on MOD land. Unable to access box.	Temporary Difficulty of Access	01 January 2006	Unlikely	July 2011; site visited MOD indicated they are likely to request removal. Nov 2011; still awaiting confirmation from the MOD that they wish the box to be removed permanently.
South West England	PO13 73		HOWE ROAD	PO13 0BP	Site being redeveloped will be reinstated when works complete.	Temporary Difficulty of Access	21 September 2011	Unknown	Work ongoing; box will be reopened once work is finished. No completion date advised.
South West England	PO19 40		ROYAL MILITARY POLICE BARRACKS BROYLE ROAD CHICHESTER	PO19 6BL	Site being redeveloped. Box sealed by agreement with developer and will be reinstated when works complete.	Temporary Difficulty of Access	01 April 2008	Unknown	MOD advised work will take around 3 years. This is heritage box and will remain sealed on site until notification of reopening of barracks is received. July 2010 - redevelopment work commenced - still no completion date - box will reopen when work complete. Nov 2011; ongoing
South West England	PO41 55		EASTMORE	PO41 0UP	Box destroyed in RTA.	Temporary Difficulty of Access	09 September 2011	Unknown	Box was demolished in an RTA. The Landowner has requested that we do not replace box and there is no suitable or safe site nearby. Long term decision to be made by next review.
South West England	PO41 93		SOLENT ROAD CRANMORE FRESHWATER	PO41 OXY	On private land, box completely surrounded by brambles & shrubs, with narrow path to reach box. The wooden post holding the box has now collapsed.	Temporary Difficulty of Access	01 August 2011	Unknown	Despite repeated requests to relocate the box to safe site, consent was refused. Unable to reinstate at current site and consent declined at any alternative. Long term decision to be made by next review.
South West England	SO41 127		KEYHAVEN	SO41 0TN	Removed at landowners request.	Temporary Difficulty of Access	15 September 2011	N/A	Box permanently removed. Notice displayed informing customers of nearest 3 points; long term decision to be made by next review.
South West England	SP3 258		FOVANT	SP3 5JL	Removed at landowners request.	Temporary Difficulty of Access	28 October 2011	N/A	Box permanently removed. Notice displayed informing customers of nearest 3 points; long term decision to be made by next review.

South West England	SP4 106		LITTLE DURNFORD	SP4 6AH	Box destroyed in RTA, contractor replacing.	Temporary Difficulty of Access	13 September 2011	March 2012 (estimate)	Being dealt by with contractor reference PB23525035. No date for installation available but an update from contractor will be pursued.
South West England	SP4 144		BOND STREET (QUEBEC BARRACKS)	SP4 7NP	Site being redeveloped. Currently no access, will be reinstated when works complete.	Temporary Difficulty of Access	26 August 2011	Unknown	Work ongoing; box will be reopened once work is finished. No completion date advised.
South West England	SP9 42		TEDWORTH HOUSE	SP9 7AJ	Site being redeveloped. Currently no access, will be reinstated when works complete.	Temporary Difficulty of Access	15 September 2011	Unknown	Work ongoing; box will be reopened once work is finished. No completion date advised.
Thames Valley	AL2 64		PARK STREET	AL2 2PE	BOX WAS REMOVED FROM PRIVATE LAND.	Temporary Difficulty of Access	18 August 2011	March 2012 est	2 potential new locations identified, searches are underway.
Thames Valley	EN6 45		WOODLANDS	EN6 4BP	BOX STOLEN - REPORTED TO POLICE	Temporary Difficulty of Access	20 August 2011	March 2012 est	This box was in a remote location; a notice has been displayed informing customers of nearest points and so far no complaints have been received. Long term decision will be made by next review.
Thames Valley	NW10 14		2 Wendover Road NW10	NW10 4RU	unable to access pillar box due to a damaged door that needs replacement.	Temporary Difficulty of Access	31 October 2011	March 2012	Job logged with contractor.

Thames Valley	NW3 65		Hampstead High St	NW3 1QL	Closed following H&S issues identified in emptying the box. Layout means collection drivers have to stoop very low and this cannot be undertaken safely with a bag of mail.	Temporary Health & Safety	03 May 2010	Unknown	New free standing Double C Type PB required outside Hampstead BO or Need to redesign the front of the POL to incorporate a new pillar box fitment. Being progressed by contractors. Nov 2010; ongoing. March 2011; still ongoing pending confirmation of POL work at branch. July 2011; Replacement job authorised by Director on basis of original quote to replace unsafe boxes with safe boxes. Nov 2011; contractor revised quote following design drafts; currently in dispute.
Thames Valley	NW3 651		Hampstead High St	NW3 1QL	Closed following H&S issues identified in emptying the box. Layout means collection drivers have to stoop very low and this cannot be undertaken safely with a bag of mail.	Temporary Health & Safety	03 May 2010	Unknown	As above
Thames Valley	NW3 Listed Box		Hampstead High St	NW3 1QL	Listed Penfold Box which is not in operation and has been sealed for nearly 12 years.	Temporary Difficulty of Access	Not known. At least 12 years	Unknown	This box is a listed box which was taken out of service over 15 years ago but left in place at local resident's and Camden Council's request. (Listed box, sealed). Box will remain in situ - it will not return to service.
Thames Valley	SG9 54		Furneaux Pelham Church	SG9 0LH	Restructured building works on wall (wall box)	Temporary Difficulty of Access	01 Nov. 2011	Unknown	Box will reopen when work complete
Thames Valley	SL5 35		Rise Road, Ascot	SL5 0BH	Box which was built in a brick pillar got knocked down in RTA.	Temporary Difficulty of Access	03 March 2011	by end Jan 2012	Process now in progress to replace it with Lamp type box on pedestal. Omitted from previous return in error.
Thames Valley	SN6 265		ASHTON FIELDS	SN6 6RF	Box has been suspend as it is on private land and the land has been sold off and can't currently access premises	Temporary Difficulty of Access	31 August 2011	Unknown	Looking at removing box as it is on private land and seeking location to relocate.

Wales	CH1 9		DELAMERE STREET	CH1 4DS	Box removed during road and building works	Temporary Difficulty of Access	21 August 2008	Unknown	Nov 2011; New site to be found building work is not due to be completed for at least another 12 months.
Wales	CH41 87		Catherine St, Grange Rd	CH41 6HW	Box removed during road and building works. Supermarket being built	Temporary Difficulty of Access	1st November 10	Unknown	July 2011; ongoing box to be resited when building work is complete. Nov 2011; building work completed box will need to be resited at a different location. Site visit needed
Wales	CH41 877		Catherine St, Grange Rd	CH41 6HW	Box removed during road and building works. Supermarket being built	Temporary Difficulty of Access	1st November 10	Unknown	July 2011; ongoing box to be resited when building work is complete. Nov 2011; building work completed box will need to be resited at a different location. Site visit needed
Wales	CH7 23		Coed Talon	CH7 4TP	Box Stolen	Temporary Difficulty of Access	21 September 2009	Unknown	Difficulty finding an alternative secure site as boxes in the area were being targeted by thieves. March; new site found process to relocate underway. July 2011; scans of another alternative currently being progressed. Nov 2011; New site found but utility scan failed. Alternative site to be found and scanned.
Wales	POC158644	HOWEY	LLANDRINDO D WELLS	LD1 5PT	POST CLOSED DUE TO STAFFING ISSUES	Temporary Difficulty of Access	05 January 2011	Unknown	Update from POL 1st Aug 2011; 'long term temporary closed'
Wales	LL14 158		Pont adam crescent	LL14 6ED	box knocked over in RTA	Temporary Difficulty of Access	15-Mar-11	Unknown	Site visit shows foundations are still suitable to rebuild the brick pillar. All plans submitted to contractor waiting for consent to start building works from Wrexham Borough Council. (omitted from previous return in error)
Wales	LL15 37		Pentre Celyn	LL15 2HE	box knocked over in RTA	Temporary Difficulty of Access	15-Jul-11	Unknown	Site visit in July 2011 found site but scan failed, second site visit needed to find alternative location
Wales	LL15 6		Rhydymedwly	LL15 2SU	box knocked over in RTA	Temporary Difficulty of Access	15-Jul-11	Unknown	Site visit in July 2011 found site which successfully passed scans - installation request submitted to contractor- currently awaiting installation

Wales	LL30 93		Penrhynside	LL30 3DD	box knocked over in RTA	Temporary Difficulty of Access	23-May-11	Unknown	numerous site visits to resite the box have proved to be unsuccessful due to geographical attributes of the village. Meeting with villagers to explain that a new location needs to be found for the box. Potential site found but needs to be attached to the village hall perimeter wall. Permission application for installation sent to Conwy Borough Council - currently awaiting consent, initial e mail suggests there will not be a problem therefore installation is likely
Wales	LL55 94		Tan Y Gaer	LL55 3BA	rotted off pedestal	Temporary Difficulty of Access	16-Nov-11	Unknown	request submitted for 4 scans of possible alternative locations
Wales	LL57 123		Carneddi PO	LL57 3SG	box removed as Post office sold as a dwelling.	Temporary Difficulty of Access	28-Oct-11	Unknown	1st site visit unsuccessful. Second site visit has now been carried out and a request for further scans submitted
Wales	LL57 243		Caerhun	LL57 4DT	Box damaged in RTA	Temporary Difficulty of Access	11-Aug-11	Unknown	site visit taken place to find alternative - scans to be requested on chosen site
Wales	LL57 68		Mynnydd, Llandygai	LL57 4DX	Box Stolen	Temporary Difficulty of Access	12th. Nov 09	Unknown	Job to replace box passed to contractor, therefore no further action required unless problems arise when installing new box. March 2010 - underground utilities halted installation. Awaiting scans for more suitable site. July 2010 - issues with installation, need to find another site. Nov 2010; ongoing. March 2011; 2nd site failed scans process currently underway for 3rd alternative site. July 2011; feasibility of 4th site underway. Nov 2011; site now found and installation request passed to contractor.

Wales	LL65 57		Llanryddlasd, Holyhead	LL65 4LD	Box involved in an RTA. New location required old position now untenable	Temporary Difficulty of Access	10th Nov 2009	Unknown	Site visit required. March 2010 - alternative site not yet found. July 2010 - alternative site now identified awaiting scan results. Nov 2010; scans failed. Process recommenced for another alternative site. July 2011; Still unable to find alternative site. Notice displayed informing customers of nearest access point along with proposal not to replace. Decision to be made by next review following consultation. Nov 2011; new hub manager to review previous decisions with a view to relocating.
Wales	LL65 24		Llanfwrog	LL65 4YF	Box Stolen	Temporary Difficulty of Access	1-Jun-10	Unlikely	New hub manager to assess case to see if reinstallation is possible. (omitted from previous returns in error)
Wales	LL68 128		Ty Brwnt	LL68 0PR	box vandalised	Temporary Difficulty of Access	1-Sep-11	unknown	Either box needs to be repaired in wall or new box needs to be installed in the vicinity - quote requested for fixing the wall and scans have been requested for an alternative location in case box in wall cannot be repaired
Wales	LL68 138		Ty Croes	LL68 9LW	Box stolen	Temporary Difficulty of Access	11-Mar-10	unknown	various site visits taken place, suitable site now found. Installation request to be submitted to contractor. (omitted from previous returns in error)
Wales	LL72 294		dafarn Rhos	LL72 8NN	box knocked over in RTA	Temporary Difficulty of Access	30-Nov-10	unknown	scan of site succesful - purchase order for installation received and passed to contractor for installation (omitted from previous returns in error)
Wales	NP25 555		Agincourt Square	NP25 3DY	Urban renovation	Temporary Difficulty of Access	01 April 2009	Unknown	Ongoing renovation scheme in area, will look to replace box once completed.

Wales	SA67 48		Allensbank	SA67 8RH	RTA - Box demolished	Temporary Difficulty of Access	10 December 2009	Unknown	Having difficulty finding suitable new site. Customer notice displayed. Nov 2010; New site agreed on following conclusion of work by council. March 2011; awaiting confirmation of installation date. July 2011; issues with location. Currently liaising with local holiday park with a view to siting box at the park. Nov 2011; suitable site found, being progressed
Wales	POC277641	MAESBURY MARSH, OSWESTRY	MAESBURY MARSH, OSWESTRY	SY10 8JG	Post Office closed due to staffing issues	Temporary Difficulty of Access	19 January 2010	Unknown	Update from POL 1st Aug 2011; 'long term temporary closed'
Wales	POC167647	PENNAL	ABERYSTWYTH	SY23 5JQ	Post Office closed due to staffing issues	Temporary Difficulty of Access	26 April 2010	Unknown	Update from POL 1st Aug 2011; 'long term temporary closed'
Wales	SY5 439		OAKSHALL, SHREWSBURY	SY5 0XQ	Wall box- door broken into two and will need to be repaired.	Temporary Difficulty of Access	09 February 2011	Unknown	Will need a new door. Due to the type of box this may be difficult to obtain. July 2011; Contractors confirmed they are unable to repair door and it is unlikely a replacement can be provided. Currently scoping feasibility of replacing wall box with a lamp box. Nov 2011; awaiting utility clearance